SPORT MEDICA S.A.

NZOZ CAROLINA MEDICAL CENTER
Hospital Register (Book) No.00000024799
78 Pory Street, 02-757 Warsaw
Phone: +48 22 355 82 00, fax +48 22 355 83 10
cmc@carolina.pl ;www.carolina.pl



QUESTIONNAIRE BEFORE MRI SCAN

Date of scan	Telephone number	Weight		
Please indicate tested organ				
Name Managia Bassasa Isaasia	and a constant and the constant for the first		talal MDI	
rect lesions in tissues. The test is pain	g does not require the use of potentially h	armful X-rays. It uses magnetic f	ieia. MRI	scan is us
lave you ever experienced:	less and requires lying monoriless.		YES	NO
regular heartbeat				
audden loss of consciousness				
nxiety caused by claustrophobia				
re you pregnant?				
o you suffer from asthma?				
o you have any allergies?				
	nistered during previous diagnostic tests?			
o you suffer from:	31			
idney failure				
ardiology problems				
eurological diseases (especially epileps	sy, convulsions)			
lotting disorders and deep vein thrombo				
ncreased concentration of iron in the se				
yperparathyroidism				
ypothyroidism				
iabetes				
ver failure – have you had liver transp	lant?			
ther	iant:			
o you use erythropoietin?	the constant of			
lave you had surgery recently (especia	illy vascular)?			
o you know your creatinine level?				
etal objects which are found in magnet				
ntraindications to MRI. Please indicate	ic field of the MRI unit may hinder interpre if any of the following applies to you:	tation of the result. Moreover, in	some cas	es they are
ntraindications to MRI. Please indicate o you have following implants:		tation of the result. Moreover, in	YES	NO
ntraindications to MRI. Please indicate byou have following implants: urdiac pacemaker	if any of the following applies to you:			
ntraindications to MRI. Please indicate you have following implants: urdiac pacemaker on filings in the body or skin (have you				
ntraindications to MRI. Please indicate byou have following implants: urdiac pacemaker	if any of the following applies to you:			
ntraindications to MRI. Please indicate byou have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid	if any of the following applies to you:			
ntraindications to MRI. Please indicate byou have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves	if any of the following applies to you:			
ntraindications to MRI. Please indicate by you have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves uracranial vascular clips urdiac chamber or core valves eurostimulators	if any of the following applies to you:			
ntraindications to MRI. Please indicate by you have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves uracranial vascular clips urdiac chamber or core valves eurostimulators etal joint implants	if any of the following applies to you:			
ntraindications to MRI. Please indicate by you have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves uracranial vascular clips urdiac chamber or core valves eurostimulators etal joint implants etal dental bridges	if any of the following applies to you:			
ntraindications to MRI. Please indicate by you have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves uracranial vascular clips urdiac chamber or core valves eurostimulators etal joint implants etal dental bridges etal Intra Uterine Device (IUD)	if any of the following applies to you:			
ntraindications to MRI. Please indicate by you have following implants: ardiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves arcaranial vascular clips ardiac chamber or core valves aurostimulators etal joint implants etal dental bridges etal Intra Uterine Device (IUD) etal surgical sutures	ever worked with metal processing indus	try)		
ntraindications to MRI. Please indicate by you have following implants: ardiac pacemaker on fillings in the body or skin (have you earing aid tificial heart valves tracranial vascular clips ardiac chamber or core valves eurostimulators etal joint implants etal dental bridges etal Intra Uterine Device (IUD) etal surgical sutures ther metal implants (which?)	ever worked with metal processing indus	try)		
ntraindications to MRI. Please indicate by you have following implants: ardiac pacemaker by filings in the body or skin (have you be be arrived at the second structure of the	ever worked with metal processing industrial	try)	YES	NO
ntraindications to MRI. Please indicate by you have following implants: urdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves uracranial vascular clips urdiac chamber or core valves eurostimulators etal joint implants etal dental bridges etal Intra Uterine Device (IUD) etal surgical sutures her metal implants (which?)	ever worked with metal processing industrial	try) I the data I provided is correct. I dennce Imaging test.	YES	NO
ntraindications to MRI. Please indicate by you have following implants: urdiac pacemaker or filings in the body or skin (have you bearing aid tifficial heart valves tracranial vascular clips tradiac chamber or core valves tracranial vascular clips tradiac chamber or core valves tracranial vascular clips tradiac chamber or core valves tradi	ever worked with metal processing industrial	try) I the data I provided is correct. I dence Imaging test.	YES	NO I take full
ntraindications to MRI. Please indicate by you have following implants: Irdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves Iracranial vascular clips Irdiac chamber or core valves Eurostimulators eetal joint implants eetal dental bridges eetal Intra Uterine Device (IUD) eetal surgical sutures ther metal implants (which?)	ever worked with metal processing industrial	try) I the data I provided is correct. I dence Imaging test.	YES	NO I take full
ntraindications to MRI. Please indicate by you have following implants: Irdiac pacemaker on filings in the body or skin (have you earing aid tificial heart valves Iracranial vascular clips Iracranial	ever worked with metal processing industrial	try) I the data I provided is correct. I dence Imaging test. and stamp of the doctor	YES	NO I take full
ntraindications to MRI. Please indicate byou have following implants: rdiac pacemaker in filings in the body or skin (have you saring aid ifficial heart valves racranial vascular clips rdiac chamber or core valves surostimulators etal joint implants etal dental bridges etal Intra Uterine Device (IUD) etal surgical sutures her metal implants (which?)	ever worked with metal processing industrial in the case of bringing your medical documents to you: ever worked with metal processing industrial in the case of bringing your medical documents to you.	try) I the data I provided is correct. I dence Imaging test. and stamp of the doctor	YES	NO I take full

Approved by: Medical Director Version 2: Valid from 19.12.2016

According to the art. 24 of the Act of 29.08.1997 on personal data protection (Dz. U. of 2002., 101, pos. 926, as amended.), we inform that the Personal Data Administrator is Sport Medica S.A. based in Warsaw, ul. Pory 78. Your personal data is processed within the scope specified by law for the purpose of medical services. You have the right to access, update or correct your data.

SPORT MEDICA S.A.
NZOZ CAROLINA MEDICAL CENTER
Hospital Register (Book) No.00000024799
78 Pory Street, 02-757 Warsaw
Phone: +48 22 355 82 00, fax +48 22 355 83 10
cmc@carolina.pl ;www.carolina.pl



	Place and date
Patient's Name	
Date of birth	

CONSENT TO MRI TEST (Magnetic Resonance Imaging)

Contrast agents applied during MRI scan can cause adverse reactions, which occur rarely, and usually are mild and of short duration (in some cases late allergic reactions may occur). They are:

- nausea, vomiting, dysgeusia, fatigue, increased sweating
- · paresthesia, skin reactions, hives, itching, pale skin, eczema
- pain and sensation of cold or heat at the injection site, headaches and muscle cramps
- · disturbances of consciousness, epilepsy, headache, and feeling hot
- anaphylactic reactions: swelling of blood vessels, shock, sudden cardiac arrest, low blood pressure, swelling of the throat, laryngospasm, bronchospasm, stridor, pulmonary edema, respiratory disorder, cough, runny nose, sneezing, conjunctivitis, abdominal pain, chest pain, rash
- tearing of the vein, extravasations of contrast outside the vein

Each symptom of intolerance to contrast agent must be immediately reported to the medical staff.

Medical history for allergies and prior adverse reactions to iodine-based contrast agents used during CT scans and gadolinium contrast agents used during MRI scans increase the likelihood of adverse reactions. Patients with impaired kidney (renal) function should be given special consideration before receiving iodine-based contrast materials. In such cases before performing MRI with contrast, it is necessary to examine the level of creatinine in the blood to assess renal function.

The use of gadolinium contrast agents during MRI scan in patients with chronic kidney disease may also cause rare kidney problem called NSF - Nephrogenic System Fibrosis. NSF causes progressive fibrosis of the skin and internal organs: liver, heart, lungs, diaphragm and muscles.

The risk of developing NSF increases proportionally to the degree of renal damage (regardless of the cause), the dose and frequency of administration of gadolinium. Other factors causing the occurrence of NSF could be:

- · coagulation disorders and deep vein thrombosis, inflammation,
- recent surgery (especially vascular),
- the use of high doses of erythropoietin, increased concentration of serum iron,
- hypothyroidism and secondary hyperparathyroidism,
- · presence of anticardiolipin antibodies.

Contrast agents used for MRI do not interact with other drugs and in most cases are rapidly excreted by the kidneys as unchanged substance.

I hereby **give my consent / do not give my consent*** to undergo MRI scan with intravenous administration of gadolinium contrast agent. I have been instructed about the possible occurrence of complications as well as the limited diagnostic value of MRI in case I do not agree to the injection of the contrast. I was given a possibility to express my doubts, I understood instructions given by medical staff, I have no further concerns.

(legible signature of the patient / legal guardian)
(for minor Patients a statement must be signed by a patient and a legal representative)

* delete as appropriate

Approved by: Medical Director Version 2: Valid from 19.12.2016